

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Trade name : COPPER GRADE EZ BREAK®

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture : Lubricant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LA-CO Industries Europe S.A.S.
Parc Industriel de la Plaine de
l'Ain - Allée des Combes.
01150.BLYES.France.
Phone: +33 (0)4 74 46 23 23
Fax: +33 (0)4 74 46 23 29
E-mail: info@eu.laco.com
Web: http://www.markal.com

**1.4. Emergency telephone number**

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

EU Member State	Officieel adviesorgaan	Adres	Noodnummer
AUSTRIA	Vergiftungsinformationszentrale (Poisons Information Centre)	Allgemeines Krankenhaus Waehringer Geurtel 18-20 1090 Wien	+43 1 406 43 43
BELARUS	The Belarus Republican Poisons Centre	Kizhevatova str. 58 220115 Minsk	+375 (0)17 201 9158
BELGIUM	Centre Anti-Poisons/Antigifocentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 B -1120 Bruxelles/Brussel	+32 70 245 245
BULGARIA	Национален токсикологичен информационен център National Clinical Toxicology Centre, Emergency Medical Institute "Pirogov"	21 Tottleben Boulevard 1606 SOFIA	+359 2 9154 409
CROATIA	Poisons Control Centre Institute of Medical Research & Occupational Health	Ksaverska Cesta 2 P.O. Box 291 HR-10000 Zagreb	+385 1 234 8342
CZECH REPUBLIC	Toxikologické informační středisko Clinic For Occupational Medicine, 1st Medical Faculty, Charles University	Na Bojišti 1 120 00 Praha 2	+42 2 2491 9293 +42 2 2491 5402
DENMARK	Gifflinjen Bispebjerg Hospital	Bispebjerg Bakke 23, 60, 1 DK-2400 København NV	+45 82 12 12 12 +45 35 31 55 55
ESTONIA	Mürgistusteabekeskus	Gonsiori 29 15027 Tallinn	+372 626 93 90
FINLAND	Myrkytystietokeskus	P.O.B 340 (Haartmaninkatu 4) HUS SF - 00029 Helsinki	+358 9 471 977
FRANCE	ORFILA		+33 1 45 42 59 59
GERMANY	Berliner Betrieb für Zentrale Gesundheitliche Aufgaben	Oranienburger Strasse 285 13437 Berlin	+49 30 19240
GERMANY	Informations und Beratungszentrum für Vergiftungsfälle	Kirrberger Straße, Gebäude 9 D-66421 Homburg/Saar	+49 6841 19240
GERMANY	Beratungstelle bei Vergiftungen, Klinische Toxikologie und Beratungsstelle bei Vergiftungen	Langenbeckstrasse 1 55131 Mainz	+49 6131 19240
GREECE	Poisons Information Centre	11527 Athens	+30 10 779 3777
HUNGARY	Országos Kémiai Biztonsági Intézet (National Institute of Chemical Safety) Egészségügyi Toxikológiai Tájékoztató Szolgálat (Health Toxicological Information Service)	1437 Budapest PO Box 839 1097 Budapest, Nagyváradi tér 2	+36 80 20 11 99
ICELAND	Eitrunarmiðstöðin	Eitrunarmiðstöðin 108 Reykjavik	+354 543 22 22
IRELAND	National Poisons Information Centre	Beaumont Hospital PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2166
LATVIA	Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs	2 Hipocrate Street LV 1038 Riga	+371 67 04 24 73

COPPER GRADE EZ BREAK®

Safety Data Sheet

according to Regulation (EU) 2015/830

LITHUANIA	Apsinuodijimų kontrolės ir informacijos biuras	Siltnamiu 29 2043 Vilnius	+370 5 236 20 52/+370 687 53 378
MALTA	Medicines & Poisons Info Office	Mater Dei Hospital, Msida MSD 2090 Malta	25450000
NETHERLANDS	Nationaal Vergiftigingen Informatie Centrum National Institute for Public Health and the Environment, NB this service is only available to health professionals	Huispostnummer B.00.118, PO Box 85500 3508 GA Utrecht	+31 30 274 88 88
PORTUGAL	Centro de Informação Antivenenos Instituto Nacional de Emergência Médica (INEM)	Rua Almirante Barroso, 36 1000-013 Lisboa	808 250 143 (for use only in Portugal), +351 21 330 3284
ROMANIA	Biroul pentru Regulamentul Sanitar International si Informare Toxicologica	Str. Dr. Leonte Anastasievici Nr.1-3, Sector 5 50463 Bucuresti	+40 21 318 36 06
SLOVAKIA	Národné toxikologické informačné centrum University Hospital Bratislava	Limbová 5 833 05 Bratislava	+421 2 54 77 4 166
SPAIN	Servicio de Información Toxicológica Instituto Nacional de Toxicología, Departamento de Madrid	Calle Luis Cabrera 9 E-28002 Madrid	+34 91 562 04 20
SWEDEN	Giftinformationscentralen Swedish Poisons Information Centre, Karolinska Hospital	Box 60 500 SE-171 76 Stockholm	+46 8 33 12 31 (International) 112 (National)
SWITZERLAND	Centre Suisse d'Information Toxicologique	Freiestrasse 16 Postfach CH-8028 Zurich	+41 44 251 51 51 (International) 145 (National)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Acute 1 H400

Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS09

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

Unknown acute toxicity (CLP: Classification, Labelling, Packaging.) - SDS

: 15.74% of the mixture consists of ingredient(s) of unknown acute oral toxicity
15.74% of the mixture consists of ingredient(s) of unknown acute dermal toxicity
15.74% percent of the mixture consists of ingredient(s) of unknown acute inhalation (dust/mist) toxicity

2.3. Other hazards

PBT: not yet assessed

vPvB: not yet assessed

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Comments

: Only component with health hazards above the applicable thresholds and/or Exposure Limit values are shown.

Exact concentrations are withheld as trade secret.

COPPER GRADE EZ BREAK®

Safety Data Sheet

according to Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Wet ground mica	(CAS No) 12001-26-2 (EC no) 310-127-6	30 – 40	Not classified
Copper, dusts and mists (as Cu)	(CAS No) 7440-50-8 (EC no) 231-159-6	5 – 10	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
aluminium powder (pyrophoric)	(CAS No) 7429-90-5 (EC no) 231-072-3 (EC index no) 013-001-00-6	1 – 2	Pyr. Sol. 1, H250 Water-react. 2, H261
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	(CAS No) 68649-42-3 (EC no) 272-028-3	0 – 1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Silicon dioxide (amorphous)	(CAS No) 7631-86-9 (EC no) 231-545-4	0.1 – 1	Not classified
Phosphoric acid	(CAS No) 7664-38-2 (EC no) 231-633-2 (EC index no) 015-011-00-6	0.01 – 1	Skin Corr. 1B, H314

Name	Product identifier	Specific concentration limits
Phosphoric acid	(CAS No) 7664-38-2 (EC no) 231-633-2 (EC index no) 015-011-00-6	(10 ≤ C < 25) Eye Irrit. 2, H319 (10 ≤ C < 25) Skin Irrit. 2, H315 (C ≥ 25) Skin Corr. 1B, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : No special measures required.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Gently wash with plenty of soap and water.
First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water.
First-aid measures after ingestion : Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Inhalation of vapours may cause respiratory irritation.
Symptoms/injuries after eye contact : May cause slight irritation.
Symptoms/injuries after ingestion : Diarrhea. Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Burning produces irritating, toxic and noxious fumes.
Explosion hazard : Product is not explosive.

5.3. Advice for firefighters

- Firefighting instructions : Keep upwind.
Protection during firefighting : Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. EN469.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

- Protective equipment : Chemical goggles or safety glasses.
Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Chemical goggles or safety glasses.
Emergency procedures : Stop leak if safe to do so. Ventilate area.

6.2. Environmental precautions

Do not discharge into drains or the environment. Prevent dispersion. Notify authorities if product enters sewers or public waters.

COPPER GRADE EZ BREAK®

Safety Data Sheet

according to Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

For containment : Do not allow minor leaks or spills to accumulate on walking surfaces.
Methods for cleaning up : Absorb and/or contain spill with inert material, then place in suitable container.

6.4. Reference to other sections

Section 7: safe handling. Section 8: personal protective equipment.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.
Incompatible products : Oxidizer.
Heat and ignition sources : Keep away from heat, sparks and flame.
Prohibitions on mixed storage : Incompatible materials.
Storage area : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

Lubricant.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silicon dioxide (amorphous) (7631-86-9)		
Austria	MAK (mg/m ³)	4 mg/m ³
Austria	Remark (AT)	(einatembare Fraktion)
Finland	HTP-arvo (8h) (mg/m ³)	5 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	4 mg/m ³
Germany	Remark (TRGS 900)	(einatembare Fraktion)
Ireland	OEL (8 hours ref) (mg/m ³)	2.4 mg/m ³ 6 mg/m ³ (total inhalable dust)
Spain	VLA-ED (mg/m ³)	10 mg/m ³
Spain	Notes	(respirable aerosol)
United Kingdom	WEL TWA (mg/m ³)	6 mg/m ³ (inhalable aerosol) 2.4 mg/m ³ (respirable aerosol)
Switzerland	VME (mg/m ³)	4 mg/m ³
Switzerland	Remark (CH)	(einatembarer Staub)
Wet ground mica (12001-26-2)		
Austria	MAK (mg/m ³)	10 mg/m ³
Austria	Remark (AT)	inhalable aerosol
Belgium	Limit value (mg/m ³)	3 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	10 mg/m ³ total inhalable dust 0.8 mg/m ³ respirable dust
Spain	VLA-ED (mg/m ³)	3 mg/m ³
Spain	Notes	d,e
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ inhalable aerosol 0.8 mg/m ³ respirable aerosol
Norway	Grenseverdier (AN) (mg/m ³)	6 mg/m ³ Glimmer, totalstøv 3 mg/m ³ Glimmer, respirabelt støv
Switzerland	VME (mg/m ³)	3 mg/m ³
Switzerland	Remark (CH)	(respirable aerosol)
aluminium powder (pyrophoric) (7429-90-5)		
Belgium	Limit value (mg/m ³)	1 mg/m ³
Belgium	Remark (BE)	(Aluminium, métal et composés insolubles, fraction alvéolaire)
Denmark	Grænseværdie (kortvarig) (mg/m ³)	4 mg/m ³ (respirabel) 10 mg/m ³ (total)
Finland	HTP-arvo (8h) (mg/m ³)	2 mg/m ³
Finland	Huomautus (FI)	(Alumiini, liukoiset yhdisteet)

COPPER GRADE EZ BREAK®

Safety Data Sheet

according to Regulation (EU) 2015/830

aluminium powder (pyrophoric) (7429-90-5)		
France	VME (mg/m ³)	5 mg/m ³ (pulvérulent) 10 mg/m ³ (metal)
Germany	TRGS 903 (BGW)	200 µg/l
Germany	Remark (TRGS 903)	Aluminium (Urin; Expositionsende bzw. Schichtende)
Hungary	Megjegyzések (HU)	(respirábilis por)
Ireland	OEL (8 hours ref) (mg/m ³)	1 mg/m ³
Ireland	Notes (IE)	(respirable dust)
Lithuania	IPRV (mg/m ³)	2 mg/m ³ (alveoline frakcija) 1 mg/m ³ (Aliuminis (metalas) ir jo tirpus junginiai, kaip Al) 5 mg/m ³ (ákvepiamoji frakcija)
Netherlands	Grenswaarde TGG 8H (mg/m ³)	10 mg/m ³
Poland	NDS (mg/m ³)	2.5 mg/m ³ (dymy, pyl calkowity) 1.2 mg/m ³ (dymy, pyl respirabilny)
Slovakia	NPHV (priemerná) (mg/m ³)	2 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	60 µg/g creatinine (Hlinik, M,a) 25 µg/g creatinine (Celkový, M,,d) 150 µg/g creatinine (Celkový,M,b)
Spain	VLA-ED (mg/m ³)	10 mg/m ³ (inhalable aerosol) 5 mg/m ³ (respirable aerosol)
Sweden	nivågränsvärde (NVG) (mg/m ³)	1 mg/m ³ (Aluminium, lösliga föreningar, som Al) 5 mg/m ³ (totaldamm, som Al) 2 mg/m ³ (respirabelt damm, som Al)
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ (inhalable dust) 4 mg/m ³ (respirable dust)
Norway	Merknader (NO)	(Aluminiumpulver, pyroteknikk)
Switzerland	VME (mg/m ³)	3 mg/m ³
Switzerland	Remark (CH)	(alveolengängiger Staub)
Copper, dusts and mists (as Cu) (7440-50-8)		
Phosphoric acid (7664-38-2)		
Czech Republic	Remark (CZ)	I
Denmark	Grænseværdie (kortvarig) (mg/m ³)	2 mg/m ³
Germany	TRGS 900 Limitation of exposure peaks (mg/m ³)	4 mg/m ³
Netherlands	Grenswaarde TGG 8H (ppm)	0.2 ppm
Netherlands	Grenswaarde TGG 15MIN (ppm)	0.5 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	1 mg/m ³
Spain	VLA-ED (mg/m ³)	1 mg/m ³
Spain	VLA-EC (mg/m ³)	2 mg/m ³
Spain	Notes	VLI, s

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Eyewash stations. Emergency safety showers should be available in the immediate vicinity of any potential exposure.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: None under normal use.
Eye protection	: Chemical goggles or safety glasses. EN166.
Respiratory protection	: None under normal use.
Other information	: Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Colour	: copper. Silver. Gray.
Odour	: Oily.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available

COPPER GRADE EZ BREAK®

Safety Data Sheet

according to Regulation (EU) 2015/830

Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 210 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.3
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Oxidizer.

10.6. Hazardous decomposition products

Burning produces irritating, toxic and noxious fumes. Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Silicon dioxide (amorphous) (7631-86-9)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 58.8 mg/l/4h
aluminium powder (pyrophoric) (7429-90-5)	
LD50 oral rat	> 15900 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 10 mg/l/4h
Copper, dusts and mists (as Cu) (7440-50-8)	
LD50 oral rat	> 2500 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5.11 mg/l/4h
Phosphoric acid (7664-38-2)	
LD50 oral rat	3500 mg/kg
LD50 dermal rat	> 1260 mg/kg
ATE CLP (oral)	3500.000 mg/kg bodyweight
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)	
LD50 oral rat	26100 mg/kg
ATE CLP (oral)	26100.000 mg/kg bodyweight

COPPER GRADE EZ BREAK®

Safety Data Sheet

according to Regulation (EU) 2015/830

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

Silicon dioxide (amorphous) (7631-86-9)	
LC50 fish 1	> 10000 mg/l
EC50 Daphnia 1	> 1000 mg/l
Copper, dusts and mists (as Cu) (7440-50-8)	
LC50 fish 1	0.2 mg/l
EC50 Daphnia 1	0.041 mg/l
NOEC chronic fish	0.01 mg/l
Phosphoric acid (7664-38-2)	
LC50 fish 1	138 mg/kg 96 h <i>Gambusia affinis</i>
EC50 Daphnia 1	> 100 mg/l
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)	
LC50 fish 1	10 (10 - 35) mg/l <i>Pimephales promelas</i> OECD GDL 203 (water accommodated fraction)
EC50 Daphnia 1	1 (1 - 1.5) mg/l OECD GDL 202 (water accommodated fraction)
NOEC (acute)	10 mg/l <i>Pimephales promelas</i> OECD GDL 203 (water accommodated fraction)
NOEC chronic crustacea	< 1 mg/l

12.2. Persistence and degradability

COPPER GRADE EZ BREAK®	
Persistence and degradability	May cause long-term adverse effects in the environment.
Silicon dioxide (amorphous) (7631-86-9)	
Persistence and degradability	Product persists.
Copper, dusts and mists (as Cu) (7440-50-8)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

Copper, dusts and mists (as Cu) (7440-50-8)	
BCF fish 1	0.009
Bioaccumulative potential	Not expected to bioaccumulate.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

COPPER GRADE EZ BREAK®	
PBT: not yet assessed	
vPvB: not yet assessed	

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

COPPER GRADE EZ BREAK®

Safety Data Sheet

according to Regulation (EU) 2015/830

European List of Waste (LoW) code	: For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
H code	: H14 - 'Ecotoxic': waste which presents or may present immediate or delayed risks for one or more sectors of the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 3082
UN-No. (IATA)	: 3082
UN-No. (IMDG)	: 3082
UN-No. (ADN)	: 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Environmentally hazardous substance, liquid, n.o.s. (copper)
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s. (copper)
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (copper)
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (copper)
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (copper), 9, III, (E)

14.3. Transport hazard class(es)

Class (ADR)	: 9
Classification code (ADR)	: M6
Class (IATA)	: 9
Class (IMDG)	: 9
Class (ADN)	: 9
Classification code (ADN)	: M6

14.4. Packing group

Packing group (ADR)	: III
Packing group (IATA)	: III
Packing group (IMDG)	: III
Packing group (ADN)	: III

14.5. Environmental hazards

Dangerous for the environment



Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.)	: 90
Classification code (ADR)	: M6
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: •3Z

14.6.2. Transport by sea

EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

14.6.3. Inland waterway transport

Carriage prohibited (ADN)	: No
---------------------------	------

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

COPPER GRADE EZ BREAK®

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 0 %

15.1.2. National regulations

Germany

Water hazard class (WGK) : 3 - severe hazard to waters

WGK remark : Classification based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

according to Regulation (EU) 2015/830

Indication of changes:

Original Document.

Abbreviations and acronyms:

	ACGIH (American Conference of Government Industrial Hygienists)
	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	DNEL: Derived No Effect Level
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	NOEC: No Observable Effect Concentration
	OSHA: Occupational Safety & Health Administration
	PBT: Persistent, Bioaccumulative, Toxic
	PNEC: Predicted No Effect Level
	STEL: Short Term Exposure Limits
	TSCA: Toxic Substances Control Act
	TWA: Time Weighted Average

Data sources

: ESIS (European chemical Substances Information System; accessed at: <http://esis.jrc.ec.europa.eu/index.php?PGM=cla>.

European Chemicals Agency (ECHA) Registered Substances list. Accessed at <http://echa.europa.eu/>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.

National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information

: None.

Full text of R-, H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Pyr. Sol. 1	Pyrophoric Solids, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B

COPPER GRADE EZ BREAK®

Safety Data Sheet

according to Regulation (EU) 2015/830

Water-react. 2	Substances and Mixtures which, in contact with water, emit flammable gases, Category 2
H250	Catches fire spontaneously if exposed to air
H261	In contact with water releases flammable gases
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

LA-CO EU CLP SDS

SDS Prepared by: The Redstone Group, LLC
6077 Frantz Rd.
Suite 206
Dublin, OH USA 43016
T 614-923-7472
www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product