



Nitrile Gloves (6mm)	
Part Number	Size
AC-NG-M	Medium
AC-NG-L	Large
AC-NG-XL	Extra Large



Multi Purpose	
Part Number	Features
14-890	Adj. wrist closure,
	premium leather palm



Padded Knuckle Utility	
Part Number	Features
14-5202	Double stitched, padded
	knuckle, PVC palm and
	finger reinforcement, Terry
	towel wipe patch



Split Cow Hide Leather	
Part Number	Features
14-4057	Reinforced Index Finger,
	rubbsplit leather palm for
	durability



Insulated Leather Palm	
Part Number	Features
14-4196	Exceptional warmth, soft
	pigskin, safety cuff



Finger TPR Protection	
Part Number	Features
14-1CF7005TPR	Material and aut
	Water, oil, and cut resistant. HPPE, nylon & glass fiber cut level 5 shell
	glass liber cut level 3 shell







Duct Tape All Purpose	
Part Number	Features
13-044099	Tears straight, grey color, resists breakdown from heat and moisture, cotton- blend backing for strength



Thread Seal Tape (Economy)	
Part Number	Size
13-044072	1/2"x520"
13-044075	3/4"x520"
10,000 PSI, -450°F to +550°F, PTFE	
USES: Metal/Stainless Steel	





Thread Seal Tape (Slic-tite)		
Part Number	Size	
13-044083	1/2"x600"	
13-044086	3/4"x600"	
10,000 PSI, -450°F to +550°F, 4mm PTFE		
USES: Metal (see La-co website for		
details)		

Slic-tite Sealant		
Part Number	Features	
13-042009	Can use on metal and	
	plastics, PTFE sealing	
3000 PSI (Gas), 10,000 PSI (Liquid)		
-50°F to +500°F		
Safe, non-toxic, non-drying		





La-co Loc Thread Sealant	
Part Number	Features
13-049050	Anaerobic, no solvents, seals and locks in absence of air
3000 PSI (Gas), 10,000 PSI (Liquid)	
-65°F to +400°F	
Do not use on oxygen service	

Anti-Seize & Lube Compound	
Part Number	Features
AC-GAS-TG04	Provides protection
	against seizing, gulling,
	rust, and corrosion
Exceeds MIL Spec MIL-A-907D	
Safe for temperatures up to 1000°F	
Non-hardening, non-dripping	









Copper Grade EZ Break	
Part Number	Size
13-008924	4oz
13-008930	Stick
Anti-seize and lube compound, resists rust and corrosion. Temperature up to +1800°F	

Removable Thread Sealer	
Part Number	Features
12-202	Regular strength, fast cure, locks fasteners up to 1"
Eliminates need for locking devices	





Permanent Threadlocker	
Part Number	Features
12-206	High strength, fast cure,
	locks fasteners up to 1"
Eliminates need for locking devices	

Brake & Parts Cleaner	
Part Number	Features
12-313	Removes brake fluid, oil, grease, transmission fluid and other contaminants
Low odour	





Honey-Goo Chain Lube	
Part Number	Features
12-803	Lubricates, protects,
	disperses moisture and
	repels dirt on ATVs,
	motorcycles, bicycles and
	any chain driven
	application
Resists wash-off	

Kleen-Flo Rust Breaker	
Part Number	Features
12-807	Will free any part seized by
	paint, scale, rust, varnish
	and carbon, etc.
Safe for use on the finest metals	







Kleen-Flo Rust Paint (Black)	
Part Number	Features
12-4201	Provides superior rust
	protection and coverage
	to metal surfaces without
	need for primer

Cap & Cover Paint	
Part Number	Features
AC-GAS-FM15B	Provides impenetrable
	barrier against rust and
	corrosion, especially on
	metal surfaces. Can use in
	harsh environments.
Heat resistant to 300°F (149°C)	



Work Sav'r Power Scrub	
Part Number	Features
AC-GAS-PS15	Cleans hands with or
	without water. Contains
	lanolin and aloe.
	Biodegradable. Contains
	grit to remove tough
	grime.
Balanced pH prevents burning of cuts	
and scrapes	

Part Number	Features

They're bigger, tougher and soaked with a knock-your-socks-off cleaning solution that overpowers even the most onerous grime. Just reach for Tub O' Towels and show challenging cleaning jobs that you mean business. Unlike typical wimpy wipes, our thick towels hold up to vigorous scrubbing. Use them inside, outside, on the job or on the go. 90-count soaked scrubbing 10 x 12 XL towels.

•Amazing hand cleaner and towel combination that cleans hands and non-porous surfaces like



- tools and equipment
  •Removes paint, grease, tar, permanent marker and other hard to clean stains
- •Environmentally friendly product conditions hands with lanolin, aloe and vitamin E
- No need for water or cloth towels



SHOP SUPPLIES









Dual Finish Wipes	
Part Number	Features
13-072405	Smooth side for gentle
	cleaning. Rough side for
	heavy. Tear resistant.
Removes grease, oil, tar, adhesives, etc.	

Tub O'Towels	
Part Number	Quantity
AC-GAS-TW40	40 wipes
AC-GAS-TW90	90 wipes
Extra large towels	
Blend of 9 cleaners for tough jobs	





Premium Spunlace Wiper	
Part Number	Features
27-37640	High performance, strong & durable. Lint free. Qty
	125 towels.
Resists solvents	

Medium weight, low-lint wipes	
Part Number	Features
27-3791	Superior strength and absorbency. Qty 100 towels.
Resists solvents	





DRC All-Purpose Wipes	
Part Number	Features
27-36790	Strong and absorbent.
	Value priced.

Windshield Fluid	
Part Number	Features
O-WWF-04	Provides excellent cleaning
	under cold temperatures (-
	35°C)
Methanol-based, Rated to -31°F.	





Cable Ties (Black)	
Part Number	Features
AC-CT-04B-T18	4" length, qty 100/pk
AC-CT-06B-T18	6" length, qty 100/pk
AC-CT-08B-T40	8" length, qty 100/pk
AC-CT-11B-T50	11" length, qty 100/pk
AC-CT-14B-T50	14" length, qty 100/pk
AC-CT-18N-T120	18" length, qty 100/pk
AC-CT-24B-T175	24" length, qty 100/pk
AC-CT-48B-T175	48" length, qty 50/pk

Cable '	Cable Ties (Colored)	
Part Number	Features	
AC-CT-08-KIT	8" length, qty 70/pk. 7	
	colors in each pack (white,	
	black, grey, red, blue,	
	green, yellow).	
Tip: Attach a color to the hose and its		
corresponding fitting for quick match-up		
Individual colors can be sold separately,		

if desired.







20L Emergency Spill Kit	
Part Number	Features
21-701-20L-ERSK	Contains:  •1x large yellow zippered spill kit bag •1x nitrile gloves •10x(15"x18") spill pads •1x 2lb bag Floor Dry •1x disposable bag •2x sorbent socks
	(3"x4")

45L Quick Response Spill Kit	
Part Number	Features
21-701-45L-QRSK	Contains: •1x small yellow
	zippered spill kit bag •1x nitrile gloves •25x (15"x18") spill pads •1x 2lb bag Floor Dry
	•1x disposable bag •1x 7oz epoxy stick •2x sorbent socks (3"x4")





Absorbent pads	
Part Number	Features
AC-AP-U-50	Universal (50 pads)
AC-AP-U-100	Universal (100 pads)
AC-AP-U-200	Universal (200 pads)
AC-AP-O-50	Oil Only (50 pads)
AC-AP-O-100	Oil Only (100 pads)
AC-AP-O-200	Oil Only (200 pads)
Habitania I walla ana maad fan waa ay maad	

Universal pads are good for use on most non-aggressive fluids, including oil, water, glycols, etc.

Oil only pads are good for absorbing hydrocarbon based fluids. Repels water.





Floor-Dry	
Part Number	Quantity
AC-FLRDRY	Single unit
AC-FLRDRY-SKID	Skid of 56 bags
Environmentally friendly	
Absorbs more per bag than competitor	
brands	



Bulk Savings when you buy the skid of 56 bags - call for details







Blue Mirror Lens	
Part Number	Features
14-S2575S	Lightweight design.
	Scratch resistant.
99.9% UV protection	
ANSI Z87.1-2010 and CSA Z94.3 certified	

Clear Anti-fog Lens	
Part Number	Features
	Full panoramic view, soft rubber temple tips
Exceeds ANSI Z87.1 High Impact Requirements	
CE EN166 Certified, CAN/CSA Z94.3-07	





Grey Anti-fog Lens	
Part Number	Features
14-S2520ST	Glare protection, scratch- resistant, 100% polycarbonate
99% protection from harmful UV-A and UV-B rays	

Blue Anti-fog Lens	
Part Number	Features
14-S2560ST	Full panoramic view, soft rubber temple tips provide non-binding fit
Exceeds ANSI Z87.1 High Impact Requirements	
CE EN166 Certified, CAN/CSA Z94.3-07	





Silver Mirror Lens	
Part Number	Features
14-S2570S	Full panoramic view, soft rubber temple tips, scratch resistant polycarbonate
99% UVA/B/C protection	

Clear Anti-fog Lens with Blk Temples	
Part Number	Features
14-S3510STJ	Designed to fit prescription
	eyewear. Superb
	protection. Scratch
	resistant. Fits over frames
	up to 5 3/8"W x 1 3/4"H
99% UVA/B/C Protection	

OURA-INK 25



Valve Action paint marker	
Part Number	Features
13-096820 (white)	Fast drying, long lasting,
13-096821 (yellow)	wear and weather
13-096822 (red)	resistant, safe for almost
13-096823 (black)	any surface
Temp range -50°F to +150°F (-46°C to +66°C)	
Xylene-free, low chlorides/halogens	

DURA-INK	
Part Number	Features
13-096023 (fine)	Tough tips won't spread or
13-096223 (med)	mushroom. Smear
	resistant, water resistant,
	fast drying
Uses: metal, wood, cardboard, plastic, glass,	
etc.	

The second HP man | | 100000



Paintstik	
Part Number	Features
13-080220 (white)	Real lead free paint in
13-080221 (yellow)	stick form. Combines the
	long lasting durability of a
	paint with the ease of a
	crayon. Weather resistant,
	UV resistant. Marks
	through oil & water. Marks
	on smooth, rough, rusty,
	or dirty surfaces.
Temp range -50°F to +150°F (-46°C to +66°C)	
Uses: Metal, wood, plastic, concrete, rubber,	

glass, cardboard, and paper

Pro-line® HP Paint Marker	
Part Number	Features
13-096960 (white)	Unsurpassed writing
13-096961 (yellow)	capability on oily, soapy,
13-096962 (red)	and wet surfaces. Excellent
13-096963 (black)	on most types of metals,
13-096964 (orange)	coatings, plastics, glass,
13-096965 (blue)	ceramics, and any other
13-096966 (green)	non-porous surfaces. Dries
	quickly.
Temp range -50°F to +150°F (-46°C to +66°C)	
Xylene-free/low halogenated compounds	